



SEQUENCE LISTING

#4

<110> Biopolo s.c.r.l.

<120> YEAST STRAINS FOR THE PRODUCTION OF LACTIC ACID

<130> 2027.547000

<140> 09/508,277

<141> 2000-06-29

<150> ITALY MI97A002080

<151> 1997-12-09

<150> PCT/EP98/05758

<151> 1998-09-11

<160> 12

<170> PatentIn version 3.0

<210> 1

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<221> misc_feature

<222> ()..()

<223> Oligomer anneals to inactivated ampicillin resistance gene of plasmids

<400> 1

gttgccattg ctgcagggcat cgtgggtg

27

<210> 2

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<221> misc_feature

<222> ()..()

<223> Oligomer anneals upstream of Bos taurus LDH gene in 5'UTR and creates a

<400> 2

cctttagggt ctagatccaa gatggcaac

29

<210> 3

<211> 27

<212> DNA

<213> Artificial Sequence

<220>
<221> misc_feature
<222> ()..()
<223> Oligomer anneals to 5' end of L. casei LDH gene and introduces a
N

<400> 3
ccatggcaag tattacggat aaggatc 27

<210> 4
<211> 24
<212> DNA
<213> Lactobacillus casei

<220>
<221> misc_feature
<222> ()..()
<223> Antisense oligomer anneals 8 bp upstream of 3' end of L. casei L
D

<400> 4
ctatcactgc aggggtttcga tgtc 24

<210> 5
<211> 59
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> ()..()
<223> Oligomer complementary to S. cerevisiae PDC1 and anneals to loxP
-

<400> 5
ttctactcat aacctcacgc aaaataacac agtcaaatca cagctgaagc ttcgtacgc 59

<210> 6
<211> 62
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> ()..()
<223> Antisense oligomer complementary to S. cerevisiae PDC1 and annea
1

<400> 6

aatgcttata aaactttaac taataattag agattaaatc gcataggcca ctagtggatc 60

tg 62

<210> 7

<211> 59

<212> DNA

<213> Artificial Sequence

<220>

<221> misc_feature

<222> ()..()

<223> Oligomer complementary to S. cerevisiae PDC5 and anneals to loxP

<400> 7

atcaatctca aagagaacaa cacaatacaa taacaagaag cagctgaagc ttcgtacgc 59

<210> 8

<211> 62

<212> DNA

<213> Artificial Sequence

<220>

<221> misc_feature

<222> ()..()

<223> Antisense oligomer complementary to S. cerevisiae PDC5 and anneals to a

<400> 8

aaaatacaca aacgttgaat catgagtttt atgttaatta gcataggcca ctagtggatc 60

tg 62

<210> 9

<211> 59

<212> DNA

<213> Artificial Sequence

<220>

<221> misc_feature

<222> ()..()

<223> Oligomer complementary to S. cerevisiae PDC6 and anneals to loxP

<400> 9

taaataaaaa acccacgtaa tatagcaaaa acatattgcc cagctgaagc ttcgtacgc 59

<210> 10

<211> 62

<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> ()..()
<223> Antisense oligomer complementary to S. cerevisiae PDC6 and annealed
1

<400> 10
tttatttgca acaataattc gtttgagtac actactaatg gcataggcca ctagtggatc 60
tg 62

<210> 11
<211> 59
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)..(2)
<223> to be provided

<400> 11
acgcaacttg aattggcaaa atgggcttat gagacgttcc cagctgaagc ttcgtacgc 59

<210> 12
<211> 62
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> ()..()
<223> Antisense oligomer complementary to S. cerevisiae PDC2 and annealed
1

<400> 12
agcctgtggt accaggtaag tgtaagttat tagagtctgg gcataggcca ctagtggatc 60
tg 62